

GALGO MR

PRE-Q®



GLOSSARY

APPLICATION


LONG HAUL


REGIONAL


ON-OF THE ROAD


SPECIAL

POSITION


DRIVE


ALL POSITION


TRAILER

SYMBOLISM


DEEP


LENGTH


WEIGHT


WING


BLOCK

TIRE TYPE


COMMERCIAL LIGHT TRUCK


SUPER SINGLE

TOLERANCE


± 2%


± 2.0 mm


± 0.5 mm

SPECIAL FEATURES


NEW TREAD DESIGNS OR SIZES


WING TREADS


DESINGS WITH DIRECTION ROTATION


SLIGHTLY DIFFERENT DESIGN.

CERTIFICATIONS



3PMSF

Certified tread designs that meet winter performance requirements and have successfully passed approval test established by ECE- 109 R Annex 10 of the European Union Regulation



MUD AND SNOW

Tires whit a Mud & Snow (M+S) mark on the sidewalk, feature a tread pattern designed to be used especially during winter season because they provide superior traction in cold climates where mud, rain, and snowy conditions are a factor



SMARTWAY

Tread designs that are SmartWay verified and certified by the US Environmental Protection Agency (EPA) to provide low rolling resistance and fuel savings, which helps decrease the effects of greenhouse gas emissions



Upon request, lead time of 8 weeks, minimum 10 rolls



Avaliable upon special request

INDEX - DESIGN

LONG HAUL & REGIONAL - DRIVE

CS 21
DGR* 6
DRD* 7
GD 20
GL 20
HLP 20
HPD* 4
LHT* 4
LPD* 4
LRD* 6
LT 21
MS* 6
NRD* 5
PDL 20
TR 21
WMP* 5
WRD* 5

LONG HAUL & REGIONAL - ALL POSITIONS

APR* 7
GRS 7
LW 8

ON/OFF ROAD - TRAILER

STC* 16

SPECIAL

LGT 17
NDG 18
SLK 18
SDP 17
SSL 19
ST 19
VT 19

RETREADING PRODUCTS

RETREADING PRODUCTS 22

LONG HAUL & REGIONAL - TRAILER

SAR 16
SRL 16
STL 15
STR* 14
STW 14
SUSI 15
WSA 8
WTR* 15
WTS* 14

CITY & COACH - ALL POSITIONS

B&C* 13
MB 12
RRI 12
TCM 12

CITY & COACH - DRIVE

BUS* 13
DA 13

ON/OFF ROAD - DRIVE

AD* 9
ADT* 8
ETW* 17
HPL 10
KOP* 9
LAD 9
LDT* 10
LL 18
LLX 18
WHL* 10

ON/OFF ROAD - ALL POSITIONS

MPO 11
ROO 11
SA 11

LPD

LOW PROFILE DRIVE



Code	mm	mm	kg/m
250 LPD 17	250	17	4.7
260 LPD 17	260	17	4.9
270 LPD 17	270	17	5.1

LHT

LONG HAUL TRACTION



Code	mm	mm	kg/m
230 LHT 20.5	230	20.5	5.0
240 LHT 20.5	240	20.5	5.2
250 LHT 20.5	250	20.5	5.4
260 LHT 20.5	260	20.5	5.6
270 LHT 20.5	270	20.5	5.9

HPD

HIGH DRIVE PERFORMANCE



Code	mm	mm	kg/m	
260 HPD 19	260	19	5.0	NEW
275 HPD 19	275	19	5.5	NEW

WINTER MILEAGE PERFORMANCE

WMP

Code	mm	mm	kg/m
220 WMP 22	220	22	5.1
230 WMP 22	230	22	5.5
240 WMP 22	240	22	5.6
250 WMP 22	250	22	6.0
260 WMP 22	260	22	6.3
270 WMP 22	270	22	6.4
280 WMP 20	280	20	6.1



NORDIC

NRD



Code	mm	mm	kg/m
220 NRD 20	220	20	4.2
240 NRD 20	240	20	4.5
250 NRD 20	250	20	4.8
260 NRD 20	260	20	4.9
270 NRD 20	270	20	5.1

WINTER REGIONAL DRIVE

WRD

Code	mm	mm	kg/m
240 WRD 20	240	20	4.7
250 WRD 20	250	20	5.0
260 WRD 20	260	20	5.1
275 WRD 20	275	20	5.5



DGR



DRIVE GALGO REGIONAL

Code	mm	mm	kg/m
250 DGR 20	250	20	5.1
260 DGR 20	260	20	5.4
275 DGR 18	275	18	5.2

LRD



REGIONAL DRIVE - LIGHT

Code	mm	mm	kg/m
71 LRD 18	180	14,3	2.7
74 LRD 18	190	14,3	2.9
230 LRD 17	230	17	4.3
240 LRD 17	240	17	4.4
250 LRD 17	250	17	4.5
260 LRD 17	260	17	4.8
270 LRD17	270	17	5.0

MS



MUD & SNOW

Code	mm	mm	kg/m
230 MS 18.5	230	18.5	4.3
240 MS 18.5	240	18.5	4.6
250 MS 18.5	250	18.5	4.8
260 MS 18.5	260	18.5	4.9
270 MS 17.5	270	17.5	4.8

REGIONAL DRIVE - DEEP

DRD

Code	mm	mm	kg/m
220 DRD 22	220	22	4.7
230 DRD 22	230	22	5.2
240 DRD 22	240	22	5.4
250 DRD 22	250	22	5.6
260 DRD 22	260	22	5.8
270 DRD 21	270	21	5.8



APR



ALL POSITION REGIONAL

Code	mm	mm	kg/m
200 APR 16	200	16	3.9
210 APR 16	210	16	4.1
220 APR 16	220	16	4.2
230 APR 16	230	16	4.4
240 APR 16	240	16	4.6
250 APR 16	250	16	4.8
260 APR 16	260	16	4.9
270 APR 16	270	16	5.1

GALGO ROUNDED SHOULDER

GRS

Code	mm	mm	kg/m
220 GRS 15	220	15	3,9
230 GRS 15	230	15	4,2
240 GRS 15	240	15	4,2
250 GRS 15	250	15	4,5
260 GRS 15	260	15	4,7
270 GRS 15	270	15	5,0



LW

LONG WEAR



Code	mm	mm	kg/m
220 LW 16	220	16	4,01
230 LW 16	230	16	4,22
240 LW 16	240	16	4,42
250 LW 16	250	16	4,48
260 LW 16	260	16	4,79

WSA

WING SPREAD AXLE



Code	mm	mm	mm	kg/m
80 WSA 16.5	203	233	13	3.2
85 WSA 16.5	220	250	13	3.8
90 WSA 16.5	230	260	13	3.9
94 WSA 16.5	240	270	13	4.1
97 WSA 16.5	250	280	13	4.3

ADT

AGGRESSIVE DRIVE TRACTION



Code	mm	mm	kg/m
220 ADT 24	220	24	5,3
230 ADT 22	230	22	5,2
240 ADT 22	240	22	5,6
250 ADT 22	250	22	5,9
260 ADT 22	260	22	6,0
270 ADT 22	270	22	6,3

KEY ON / OFF PERFORMANCE

KOP

Code	mm	mm	kg/m
230 KOP 19	230	19	4.7
240 KOP 19	240	19	5.0
250 KOP 19	250	19	5.2
260 KOP 19	260	19	5.4



AD

AGGRESSIVE DRIVE



Code	mm	mm	kg/m
220 AD 21	220	21	4.9
230 AD 21	230	21	5.0
240 AD 21	240	21	5.4
250 AD 21	250	21	5.5
260 AD 21	260	21	5.5
270 AD 20	270	20	5.5

AGGRESSIVE DRIVE - LIGHT

LAD

Code	mm	mm	kg/m
220 LAD 17	220	17	4,0
230 LAD 17	230	17	4,4
240 LAD 17	240	17	4,4
250 LAD 17	250	17	4,7



LDT



LIGHT AGGRESSIVE TRACTION

Code	mm	mm	kg/m
250 LDT 17	250	17	4.8
260 LDT 17	260	17	5.0

M+S

HIGH POWER LUG

Code	mm	mm	kg/m
203 HPL 22.2	203	22.2	4.7
210 HPL 22.2	210	22.2	4.7
219 HPL 22.2	219	22.2	5.0
229 HPL 22.2	229	22.2	5.3
241 HPL 22.2	241	22.2	5.8
251 HPL 22.2	251	22.2	6.0

HPL



WHL



WASTE HAULER LUG

Code	mm	mm	kg/m
203 WHL 20.6	203	20.6	4.2
210 WHL 20.6	210	20.6	4.4
219 WHL 20.6	219	20.6	4.7
229 WHL 20.6	251	20.6	4.7
241 WHL 20.6	241	20.6	5.1
251 WHL 20.6	251	20.6	5.4
254 WHL 22.2	254	22.2	5.6
267 WHL 25.4	267	25.4	6.9

M+S

SPREAD AXLE

SA

Code	mm	mm	kg/m
203 SA 14.3	203	14.3	3,2
210 SA 14.3	210	14.3	3,3
219 SA 14.3	219	14.3	3,3
229 SA 14.3	229	14.3	3,6
235 SA 14.3	235	14.3	3,8
240 SA 14.3	240	14.3	3,9
251 SA 14.3	251	14.3	4,0



MPO M+S



MULTI POSITIONAL

Code	mm	mm	kg/m
220 MPO 18	220	18	4,6
230 MPO 18	230	18	4,8
240 MPO 18	240	18	5,1
250 MPO 18	250	18	5,3
260 MPO 18	260	18	5,5

RIB FOR ON / OFF

ROO

Code	mm	mm	kg/m
80 RO/O 26	203	20.6	4.7
85 ROO 26	220	20.6	5.1
90 RO/O 26	230	20.6	5.3
94 RO/O 26	240	20.6	5.7
100 RO/O 26	254	20.6	5.9
105 RO/O 26	270	20.6	6.5



TCM



TOP CITY MILEAGE

Code	mm	mm	kg/m
90 TCM 22.5	230	18	5.0
94 TCM 22.5	240	18	5.3
97 TCM 22.5	250	18	5.5

MB



METROPOLITAN BUS

Code	mm	mm	kg/m
225 MB 15	225	15	4,16
240 MB 15	240	15	4,50
250 MB 15	250	15	4,75
260 MB 15	260	15	4,86

RRI



RIB REGIONAL & INTERCITY

Code	mm	mm	mm	kg/m
230 RRI 17.5	230	260	17.5	4.8

BUS & COACH

B&C

Code	mm	mm	mm	kg/m
230 BC 20	230	260	20	5.1
240 BC 20	240	270	20	5.3
250 BC 20	250	280	20	5.4



BUS



BUS

Code	mm	mm	mm	kg/m
230 BUS 20	230	260	20	4.8
240 BUS 20	240	270	20	5.1

DRIVE AXLE

DA

Code	mm	mm	kg/m
240 DA 17.5	240	17,5	4,30
250 DA 17.5	250	17,5	4,57
267 DA 17.5	267	17,5	4,90



STR



TRAILER REGIONAL

Code	mm	mm	mm	kg/m
287 STR 14.5	287	325	14,5	5,2
295 STR 14.5	295	333	14,5	5,3
305 STR 14.5	305	343	14,5	5,5



TRAILER WIDE

Code	mm	mm	mm	kg/m
320 STW 13	320	358	113	5,0
360 STW 12.7	360	398	12,7	5,4
390 STW 12.7	390	420	12,7	5,9



STW



WTS



WINTER TRAILER

Code	mm	mm	mm	kg/m
295 WTS 15	295	333	15	5.1
320 WTS 15	320	358	15	5.4



WINTER TRAILER REGIONAL

WTR

Code	mm	mm	mm	kg/m
300 WTR 13.5	300	338	13.5	4.7



SUSI



SUPER SINGLE

Code	mm	mm	mm	kg/m
287 SUSI 13	287	325	13	4.5
295 SUSI 13	295	333	13	4.7

TRAILER LONG HAUL

STL

Code	mm	mm	mm	kg/m
287 STL 13	287	325	13	4.6



SAR



ANGLED RIB

Code	mm	mm	mm	kg/m
287 SAR 14	287	325	14	4,76
295 SAR 14	295	333	14	5,09

SRL



RIB LIGHT

Code	mm	mm	mm	kg/m
295 SRL 10.5	295	333	10.5	3.7

STC



TRAILER CONSTRUCTION

Code	mm	mm	mm	kg/m
287 STC 14.5	287	325	14.5	4.5
295 STC 14.5	295	333	14.5	4.8

EXTREME TRACTION WIDE

ETW

Code	mm	mm	kg/m	
▶314 ETW 22.2	314	22,2	6,8	◀◀
330 ETW 23.8	330	23,8	7,8	◀
346 ETW 23.8	346	23,8	8,0	◀◀
▶356 ETW 23.8	356	23,8	8,2	◀◀
362 ETW 23.8	362	23,8	8,5	◀
420 ETW 23.8	420	23,8	9,1	◀◀

◀◀ length: 5.2m ◀ length:3.6m



LGT



LOADER / GRADER TRACTION

Code	mm	mm	kg/m	
254 LGT 20,6	254	20.6	5.5	◀◀
289 LGT 20,6	289	20.6	6.1	◀◀
356 LGT 20,6	356	20.6	7.8	◀◀

◀◀ length: 5.2m

SEVERE DRIVE PERFOMANCE

SDP

Code	mm	mm	kg/m
240 SDP 22.2	240	22,2	5,8
260 SDP 25.4	260	25,4	7,2



SLK



SLICK

Code	mm	mm	kg/m
70 SLK 16	178	12.7	3.3
80 SLK 16	203	12.7	3.7
80 SLK 32	203	25.4	6.2

NON - DIRECTIONAL GRADER

NDG

Code	mm	mm	kg/m
279 NDG 25.4	279	25,4	6,6
305 NDG 25.4	305	25,4	7,4



LLX



LUG LOGGER - EXTRA

Code	mm	mm	kg/m
303 LLX 22.2	203	22,2	4,83
219 LLX 23.8	219	23,8	5,27
238 LLX 25.4	238	25,4	6,03

LL Available in sizes: 168 - 194
Thickness: 19 mm.

SEVERE SERVICE LUG

SSL

Code	mm	mm	kg/m
80 SSL 28	203	22,2	4,85
85 SSL 28	219	22,2	5,19
90 SSL 28	229	22,2	5,49
94 SSL 28	241	22,2	5,78



ST

SUPERB TRACTION



Code	mm	mm	mm	kg/m
610 ST 47	610	1019	47	28
660 ST 47	660	1086	47	32

VERSA TREAD

VT

Code	mm	mm	mm	kg/m
470 VT 31	470	1092	31	15.7
522 VT 33	522	1175	33	21.7
610 VT 37	610	1019	37	23.7



HLP



HIGH LAST - MILE PERFORMANCE

Code	mm	mm	kg/m
72 HLP 15	185	11,9	2,6

PDL



PICK UP & DELIVERY LIGHTTRUCK

Code	mm	mm	kg/m
180 PDL 13	180	13	2,8
190 PDL 13	190	13	3,0

GL



GRIP LIGHT

Code	mm	mm	kg/m
168 GL 13.5	168	13,5	2,44
178 GL 13.5	178	13,5	2,61
194 GL 13.5	194	13,5	2,76
203 GL 13.5	203	13,5	2,98
219 GL 13.5	219	13,5	3,44

GD Available in sizes: 178 - 194 - 203 - 219
Thickness: 17,5 mm.

LIGHT TRUCK

LT

Code	mm	mm	kg/m
54 LT 14	140	11,1	1,6
60 LT 14	152	11,1	1,8
▶ 65 LT 14	168	11,1	2,1
▶ 70 LT 14	178	11,1	2,2
▶ 75 LT 14	194	11,1	2,2



COMBINED SERVICE

CS



Code	mm	mm	kg/m
127 CS 11.1	127	11,1	1,60
140 CS 11.1	140	11,1	1,70
152 CS 12.7	152	12,7	2,00
165 CS 12.7	165	12,7	2,30
▶ 178 CS 12.7	178	12,7	2,20
▶ 178 CS 16	178	16	2,60
▶ 194 CS 17.5	194	17,5	3,60
▶ 203 CS 17.5	203	17,5	3,74
▶ 210 CS 17.5	210	17,5	3,90
▶ 216 CS 17.5	216	17,5	3,95
▶ 238 CS 17.5	238	17,5	4,35

TRACTION

TR

Code	mm	mm	kg/m
140 TR 11.9	140	11,9	1,90
152 TR 11.9	152	11,9	2,10
194 TR 13.5	194	13,5	3,20
203 TR 13.5	203	13,5	3,46
165 TR 15.1	165	15,1	2,80
178 TR 15.1	178	15,1	3,00
194 TR 15.1	194	15,1	3,30
203 TR 15.1	203	15,1	3,48
219 TR 15.1	219	15,1	3,76



RETREADING PRODUCTS



SPRAY CEMENT
(Buckets of 19 L.)



BLACK TYRE PAINT
(Buckets of 19 L.)



CUSHION GUM
650 mm. x 1.1 mm.
(Boxes of 29.5 Kg.)



STRIP RUBBER
MOLD CURE
(Pallets of 1.000 Kg.)



EXTRUDER ROPE - 6.5 mm.
(Boxes of 11 Kg.)



AZ STRIP - 70 x 8 mm.
(Pallet 460 Kg.)



CUSTOM MIX COMPOUND



GALGO is a world leader in rubber manufacturing and began producing and marketing shoe soles in August 1952 in Mexico City, Mexico. Soon after, we expanded our product range to include; rubber flooring and mats, tubes, flaps, and tire retreading products.

In 2003 GALGO opened a distribution centre in Belgium, to supply the European market.











Galgo Pre-Q Europe N.V. / S.A.

LEUVENSESTEENWEG 643/21
B-1930 ZAVENTEM, BELGIUM

Ph: +32(0) 1187 0814

contact@galgo-europe.com